


AMENDMENTS TO THE CLAIMS

The following listing of claims will replace all prior versions and listings of claims in the application.

Listing of claims:

Claim 1 (currently amended). A compound selected from those of formula (I):



in which:

R₁ represents a group selected from :

- hydrogen, amino,
- (C₁-C₆)alkyl, (C₃-C₆)alkenyl, (C₃-C₆)alkynyl, mono(C₁-C₆)alkylamino(C₁-C₆)alkyl, di(C₁-C₆)alkylamino(C₁-C₆)alkyl, aryl, aryl(C₁-C₆)alkyl, heterocycle, and 3- to 6-membered cycloalkyl(C₁-C₆)alkyl, these groups being unsubstituted or substituted with one or more groups, which may be identical or different, selected from amino, (C₁-C₆)alkyl, cyano, halo(C₁-C₆)alkyl, C(=O)OR₄, OR₄ and SR₄, in which R₄ represents hydrogen or (C₁-C₆)alkyl,

W represents an oxygen atom, a sulphur atom, or a group =N-R', in which R' represents (C₁-C₆)alkyl, hydroxyl, or cyano,

~~X₁, X₂ and X₃ represent, independently of each other, a nitrogen atom or a group -C R₆ in which R₆ represents a group selected from hydrogen, (C₁-C₆)alkyl, amino, mono(C₁-C₆)alkylamino, di(C₁-C₆)alkylamino, hydroxyl, (C₁-C₆)alkoxy, and halogen, with the proviso that not more than two of the groups X₁, X₂ and X₃ simultaneously represent a nitrogen atom,~~

X₁ and X₃ represent, independently of each other, a group -C-R₆ in which R₆ represents a group selected from hydrogen, (C₁-C₆)alkyl, amino, mono(C₁-C₆)alkylamino, di(C₁-C₆)alkylamino, hydroxyl, (C₁-C₆)alkoxy, and halogen;

X₂ is nitrogen;

Y represents a group selected from oxygen atom, sulphur atom, -NH, and -N(C₁-C₆)alkyl,

Z represents:

- an oxygen atom, a sulphur atom,
- or a group -NR₇ in which R₇ represents a group selected from hydrogen, (C₁-C₆)alkyl, aryl(C₁-C₆)alkyl, cycloalkyl, aryl, and heteroaryl, and
- when Y is an oxygen atom, a sulphur atom, or a group -N(C₁-C₆)alkyl, Z optionally represents a carbon atom which is unsubstituted or substituted with a (C₁-C₆)alkyl, an aryl, an aryl(C₁-C₆)alkyl, an aromatic or non-aromatic heterocycle or a cycloalkyl,

n is an integer from 1 to 8 inclusive,

Z₁ represents -CR₈R₉ wherein R₈ and R₉, independently of each other, represent a group selected from hydrogen, (C₁-C₆)alkyl, halo(C₁-C₆)alkyl, halogen, amino, OR₄, SR₄ or C(=O)OR₄ in which R₄ represents a hydrogen or (C₁-C₆)alkyl, and

- when n is greater than or equal to 2, the hydrocarbon chain Z₁ optionally contains one or more multiple bonds,
- and/or one of the carbon atoms in the hydrocarbon chain Z₁ may be replaced with an oxygen atom, a sulphur atom which is unsubstituted or substituted with one or two oxygen atoms, or a nitrogen atom which is unsubstituted or substituted with a (C₁-C₆)alkyl,
- and when one of the carbon atoms in the hydrocarbon chain Z₁ is replaced with a sulphur atom which is unsubstituted or substituted with one or two oxygen atoms, then the group -C(=Y)-Z- optionally may be absent in the general formula (I),

A represents a group selected from :

- aromatic or non-aromatic, 5- or 6-membered monocycle comprising from 0 to 4 heteroatoms selected from nitrogen, oxygen and sulphur, and
- bicycle, composed of two aromatic or non-aromatic, 5- or 6-membered rings, which may be identical or different, comprising from 0 to 4 heteroatoms selected from nitrogen, oxygen and sulphur,


m is an integer from 0 to 7 inclusive,

the group(s) R_2 , which may be identical or different, is (are) selected from (C_1-C_6) alkyl, halogen, $-CN$, NO_2 , SCF_3 , $-CF_3$, $-OCF_3$, $-NR_{10}R_{11}$, $-OR_{10}$, $-SR_{10}$, SOR_{10} , $-SO_2R_{10}$, $-(CH_2)_kSO_2NR_{10}R_{11}$, $-X_5(CH_2)_kC(=O)OR_{10}$, $-(CH_2)_kC(=O)OR_{10}$, $-X_5(CH_2)_kC(=O)NR_{10}R_{11}$, $-(CH_2)_kC(=O)NR_{10}R_{11}$, and $-X_4-R_{12}$ in which:

- X_5 represents a group selected from oxygen, sulphur optionally substituted by one or two oxygen atoms, and nitrogen substituted by hydrogen or (C_1-C_6) alkyl,
- k is an integer from 0 to 3 inclusive,
- R_{10} and R_{11} , which may be identical or different, are selected from hydrogen and (C_1-C_6) alkyl,
- X_4 represents a group selected from single bond, $-CH_2-$, oxygen atom, sulphur atom optionally substituted by one or two oxygen atoms, and nitrogen atom substituted by hydrogen atom or (C_1-C_6) alkyl group,
- R_{12} represents an aromatic or non-aromatic, heterocyclic or non-heterocyclic, 5- or 6-membered ring which is unsubstituted or substituted with one or more groups, which may be identical or different, selected from (C_1-C_6) alkyl, halogen, hydroxyl and amino, and when the ring is heterocyclic, it comprises from 1 to 4 heteroatoms selected from nitrogen, oxygen and sulphur;

R_3 represents a group selected from:

- hydrogen,
- (C_1-C_6) alkyl, (C_3-C_6) alkenyl, (C_3-C_6) alkynyl, these groups being unsubstituted or substituted with one or more groups, which may be identical or different, selected from amino, cyano, halo (C_1-C_6) alkyl, cycloalkyl, $-C(=O)NR_{10}R_{11}$, $-C(=O)OR_{10}$, OR_{10} , and SR_{10} , in which R_{10} and R_{11} , which may be identical or different, represent hydrogen or (C_1-C_6) alkyl,
- and the group of formula :



- ✓ in which p is an integer from 0 to 8 inclusive,
- ✓ Z_2 represents $-CR_{13}R_{14}$ wherein R_{13} and R_{14} , independently of each other, represent a group selected from hydrogen, (C_1-C_6) alkyl, phenyl, halo (C_1-C_6) alkyl, halogen, amino, OR_4 , SR_4 and $-C(=O)OR_4$ in which R_4 represents hydrogen or (C_1-C_6) alkyl, and
 - when p is greater than or equal to 2, the hydrocarbon chain Z_2 optionally contains one or more multiple bonds,
 - and/or one of the carbon atoms in the hydrocarbon chain Z_2 may be replaced with an oxygen atom, a sulphur atom which is unsubstituted or substituted with one or two oxygen atoms, a nitrogen atom which is unsubstituted or substituted with a (C_1-C_6) alkyl, or a carbonyl group,
- ✓ B represents a group selected from:
 - an aromatic or non-aromatic 5- or 6-membered monocycle comprising from 0 to 4 heteroatoms selected from nitrogen, oxygen and sulphur, and
 - a bicycle, composed of two aromatic or non-aromatic, 5- or 6-membered rings, which may be identical or different, comprising from 0 to 4 heteroatoms selected from nitrogen, oxygen and sulphur,

- ✓ q is an integer from 0 to 7 inclusive,
- ✓ the group(s) R_5 , which may be identical or different, is (are) selected from (C_1-C_6) alkyl, halogen, CN, NO_2 , CF_3 , OCF_3 , $-(CH_2)_kNR_{15}R_{16}$, $-N(R_{15})C(=O)R_{16}$, $-N(R_{15})C(=O)OR_{16}$, $-N(R_{15})SO_2R_{16}$, $-N(SO_2R_{15})_2$, $-OR_{15}$, $-S(O)_{k1}R_{15}$, $-SO_2-N(R_{15})-(CH_2)_{k2}-NR_{16}R_{17}$, $-(CH_2)_kSO_2NR_{15}R_{16}$, $-X_7(CH_2)_kC(=O)OR_{15}$, $-(CH_2)_kC(=O)OR_{15}$, $-C(=O)O-(CH_2)_{k2}-NR_{15}R_{16}$, $-C(=O)O-(CH_2)_{k2}-C(=O)OR_{18}$, $-X_7(CH_2)_kC(=O)NR_{15}R_{16}$, $-(CH_2)_kC(=O)NR_{15}R_{16}$, $-R_{19}-C(=O)OR_{15}$, $-X_6-R_{20}$, and $-C(=O)-R_{21}-NR_{15}R_{16}$ in which :
 - X_7 represents a group selected from oxygen atom, sulphur atom optionally substituted by one or two oxygen atoms, and nitrogen atom substituted by a hydrogen atom or a (C_1-C_6) alkyl group,
 - k is an integer from 0 to 3 inclusive,
 - k_1 is an integer from 0 to 2 inclusive,
 - k_2 is an integer from 1 to 4 inclusive,
 - R_{15} , R_{16} and R_{17} , which may be identical or different, are selected from hydrogen and (C_1-C_6) alkyl,
 - R_{18} represents a group selected from (C_1-C_6) alkyl, $-R_{21}-NR_{15}R_{16}$, $-R_{21}-NR_{15}-C(=O)-R_{21}-NR_{16}R_{17}$, and $-C(=O)O-R_{21}-NR_{15}R_{16}$ in which R_{21} represents a linear or branched (C_1-C_6) alkylene group, and R_{15} , R_{16} and R_{17} are as defined hereinbefore,
 - R_{19} represents a (C_3-C_6) cycloalkyl group,

- X_6 represents a group selected from single bond, $-CH_2-$, oxygen atom, sulphur atom optionally substituted by one or two oxygen atoms, and nitrogen atom substituted by hydrogen atom or (C_1-C_6) alkyl group,

- R_{20} represents an aromatic or non-aromatic, heterocyclic or non-heterocyclic, 5- or 6-membered ring, which is unsubstituted or substituted with one or more groups, which may be identical or different, selected from (C_1-C_6) alkyl, halogen, hydroxyl, oxo, cyano, tetrazole, amino, and $-C(=O)OR_4$ wherein R_4 represents hydrogen or (C_1-C_6) alkyl, and, when the ring is heterocyclic, it comprises from 1 to 4 heteroatoms selected from nitrogen, oxygen and sulphur,

with the proviso that when X_1 represents a nitrogen atom, X_2 cannot represent a carbon atom substituted with a methyl group or with $NH-CH_3$,

optionally, the racemic forms thereof, isomers thereof, ~~N-oxides~~ N-oxides thereof, and the pharmaceutically acceptable salts thereof.

Claim 2 (canceled).

Claim 3 (currently amended). A compound of formula (I) according to Claim 1 characterized in that:

n is an integer from 1 to 6 inclusive,

Z_1 represents $-CR_8R_9$ wherein R_8 represents a hydrogen atom and R_9 represents a hydrogen atom or a methyl group, and

- when n is greater than or equal to 2, the hydrocarbon chain Z_1 optionally contains a double bond,

- or, one of the carbon atoms in the hydrocarbon chain Z_1 may be replaced with an oxygen atom, or a sulphur atom which is unsubstituted or substituted with one or two oxygens,

A represents a group selected from phenyl, pyridyl, thienyl, imidazolyl, furyl, piperidyl, 1,3-benzodioxolyl, benzodioxinyl, benzothienyl, benzofuryl, benzofurazanyl, 2,1,3-benzothiadiazolyl, and indolyl,

m is an integer from 0 to 7 inclusive,


the group(s) R_2 , which may be identical or different, is (are) selected from (C_1-C_6) alkyl, halogen, $-CN$, $-CF_3$, $-OCF_3$, $-NR_{10}R_{11}$, $-OR_{10}$, $-SR_{10}$, $-SO_2R_{10}$, $-(CH_2)_kSO_2NR_{10}R_{11}$, $-X_5(CH_2)_kC(=O)OR_{10}$, $-(CH_2)_kC(=O)OR_{10}$, $-X_5(CH_2)_kC(=O)NR_{10}R_{11}$, $-(CH_2)_kC(=O)NR_{10}R_{11}$, and $-X_4-R_{12}$ in which:

- ✓ X_5 represents O, S or NH,
- ✓ k is an integer from 0 to 3 inclusive,
- ✓ R_{10} and R_{11} , identical or different, are selected from hydrogen and (C_1-C_6) alkyl,
- ✓ X_4 represents $-CH_2-$, or an oxygen atom,
- ✓ R_{12} represents a phenyl group which is unsubstituted or substituted with one or more groups, which may be identical or different, selected from (C_1-C_6) alkyl, halogen, hydroxyl and amino,

optionally, the racemic forms thereof, isomers thereof, ~~N-oxides~~ N-oxides thereof, and the pharmaceutically acceptable salts thereof.

Claim 4 (currently amended). A compound of formula (I) according to Claim 1 characterized in that:

R_3 represents hydrogen, (C_1-C_6) alkyl or the group of formula:



- in which p is an integer from 0 to 3 inclusive,
- Z_2 represents $-CR_{13}R_{14}$ wherein R_{13} and R_{14} , independently of each other, represent a group selected from hydrogen, methyl, or phenyl, and

- when p is greater than or equal to 2, the hydrocarbon chain Z_2 optionally contains one double bond,
 - or one of the carbon atoms in the hydrocarbon chain Z_2 may be replaced with an oxygen atom, a sulphur atom which is unsubstituted or substituted with one or two oxygen atoms, a nitrogen atom which is unsubstituted or substituted with a (C_1-C_6) alkyl, or a carbonyl group,
- B represents a group selected from phenyl, pyridyl, thienyl, imidazolyl, furyl, 1,3-benzodioxolyl, benzodioxinyl, benzothienyl, benzofuryl, 2,1,3-benzothiadiazolyl, benzofurazanyl, naphthyl, and indolyl,
- q is an integer from 0 to 3 inclusive,
- the group(s) R_5 , which may be identical or different, is (are) selected from (C_1-C_6) alkyl, halogen, CN, NO_2 , CF_3 , OCF_3 , $-(CH_2)_kNR_{15}R_{16}$, $-N(R_{15})C(=O)R_{16}$, $-N(R_{15})C(=O)OR_{16}$, $-N(R_{15})SO_2R_{16}$, $-N(SO_2R_{15})_2$, $-OR_{15}$, $-S(O)_{k1}R_{15}$, $-SO_2-N(R_{15})-(CH_2)_{k2}-NR_{16}R_{17}$, $-(CH_2)_kSO_2NR_{15}R_{16}$, $-X_7(CH_2)_kC(=O)OR_{15}$, $-(CH_2)_kC(=O)OR_{15}$, $-C(=O)O-(CH_2)_{k2}-NR_{15}R_{16}$, $-X_7(CH_2)_kC(=O)NR_{15}R_{16}$, and $-(CH_2)_kC(=O)NR_{15}R_{16}$ in which :
- X_7 is S, O or NH,
 - k is an integer from 0 to 3 inclusive,
 - k_1 is an integer from 0 to 2 inclusive,
 - k_2 is an integer from 1 to 4 inclusive,
 - R_{15} , R_{16} and R_{17} , which may be identical or different, are selected from hydrogen and (C_1-C_6) alkyl,

optionally, the racemic forms thereof, isomers thereof, ~~N-oxides~~ N-oxides thereof, and the pharmaceutically acceptable salts thereof.

Claims 5 to 7 (canceled).

Claim 8 (currently amended). A compound of formula (I) according to Claim 1 characterized in that R₁ represents a hydrogen atom or a (C₁-C₆)alkyl group, optionally, the racemic forms thereof, isomers thereof, ~~N-oxides~~ N-oxides thereof, and the pharmaceutically acceptable salts thereof.

Claim 9 (currently amended). A compound of formula (I) according to Claim 1 characterized in that :

W represents an oxygen atom,

Y represents an oxygen atom,

Z represents a NH group,

Z₁ represents a methylene group,

and n is equal to one,

optionally, the racemic forms thereof, isomers thereof, ~~N-oxides~~ N-oxides thereof, and the pharmaceutically acceptable salts thereof.

Claim 10 (canceled).

Claim 11 (currently amended). A compound of formula (I) according to Claim 1 characterized in that :

X₁ and X₃ represent each a -CH group,

and X₂ represents a ~~-CH group~~ or a nitrogen atom,

optionally, the racemic forms thereof, isomers thereof, ~~N-oxides~~ N-oxides thereof, and the pharmaceutically acceptable salts thereof.

Claim 12 (currently amended). A compound of formula (I) according to Claim 1 characterized in that :

X₁ and X₃ represent each a -CH group,

and ~~X₂ represents a nitrogen atom,~~

optionally, the racemic forms thereof, isomers thereof, ~~N-oxides~~ N-oxides thereof, and the pharmaceutically acceptable salts thereof.

Claim 13 (currently amended). A compound of formula (I) according to Claim 1 characterized in that :


A represents a group selected from phenyl, pyridyl, 1,3-benzodioxolyl, and benzofurazanyl,

m is equal to 0 or 1,

and R₂ represents a group selected from (C₁-C₆)alkoxy, hydroxy, halogen, and (C₁-C₆)thioalkoxy,

optionally, the racemic forms thereof, isomers thereof, ~~N-oxides~~ N-oxides thereof, and the pharmaceutically acceptable salts thereof.

Claim 14 (currently amended). A compound of formula (I) according to Claim 1 characterized in that R₃ represents a group of formula :



in which:

p is equal to 1,

Z₂ represents a ~~methylene~~ methylene group,

B represents a group selected from phenyl, pyridyl, 1,3-benzodioxolyl, and benzofurazanyl,

q is an integer from 0 to 2 inclusive,

and R₅ represent(s) a group selected from halogen, CN, -(CH₂)_kNR₁₅R₁₆, -S(O)_{k1}R₁₅, -(CH₂)_kSO₂NR₁₅R₁₆, -(CH₂)_kC(=O)OR₁₅, -(CH₂)_kC(=O)NR₁₅R₁₆, and -X₆-R₂₀, in which :

- k is an integer from 0 to 1 inclusive,
- k1 is an integer from 0 to 2 inclusive,
- R₁₅ and R₁₆, which may be identical or different, are selected from hydrogen and (C₁-C₆)alkyl,
- X₆ represents a bond,
- R₂₀ represents a 5-membered heterocyclic ring comprising from 3 to 4 heteroatoms selected from oxygen and nitrogen and optionally substituted with a methyl group or an oxo group,

optionally, the racemic forms thereof, isomers thereof, ~~N-oxydes~~ N-oxides thereof, and the pharmaceutically acceptable salts thereof.

Claim 15 (currently amended). A compound of formula (I) according to Claim 1, which is:

- ~~— 3-Benzyl 2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid benzylamide;~~
- ~~— 3-Benzyl 2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid~~
~~(4-pyridylmethyl) amide;~~
- ~~— 3-Benzyl 2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid~~
~~(benzo[1,3]dioxol-5-ylmethyl)amide;~~
- ~~— 3-Benzyl 2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid~~
~~(2-thienylmethyl) amide;~~
- ~~— 3-Benzyl 2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid~~
~~(3-pyridylmethyl) amide;~~
- ~~— 3-Benzyl 2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid~~
~~4-methoxybenzyl amide;~~
- ~~— 3-Benzyl 2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid 4-chlorobenzyl~~
~~amide;~~
- ~~— 3-Benzyl 2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid 4-methylbenzyl~~
~~amide;~~
- ~~— 3-Benzyl 1-methyl 2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid~~
~~(benzo[1,3]dioxol-5-ylmethyl)amide;~~
- ~~— 3-Benzyl 1-methyl 2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid~~
~~benzylamide;~~
- ~~— Methyl 4-({[1-(3-benzyl-1-methyl 2,4-dioxo-1,2,3,4-tetrahydroquinazolin-6-yl)~~
~~methanoyl]amino}methyl)benzoate;~~
- ~~— 3-Benzyl 1-methyl 2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid~~
~~4-hydroxy-3-methoxybenzylamide;~~
- ~~— 3-Benzyl 1-methyl 2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid~~
~~4-methoxybenzylamide;~~
- ~~— 3-Benzyl 1-methyl 2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid~~

(4-pyridylmethyl)amide,

— 1-Methyl-2,4-dioxo-3-phenethyl-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid

(benzo[1,3]dioxol-5-ylmethyl)amide,

— 3-(4-methoxybenzyl)-2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid

(benzo[1,3]dioxol-5-ylmethyl)amide,

— 3-(4-methoxybenzyl)-1-methyl-2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid (benzo[1,3]dioxol-5-ylmethyl)amide,

— 3-(4-methoxybenzyl)-1-methyl-2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid 4-methoxybenzylamide,

— 3-(1-naphth-1-ylethyl)-2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid (benzo[1,3]dioxol-5-ylmethyl)amide,

— 2,4-dioxo-3-(pyrid-4-ylmethyl)-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid (benzo[1,3]dioxol-5-ylmethyl)amide,

— 2,4-dioxo-3-(thien-2-ylmethyl)-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid benzylamide,

— 1-methyl-2,4-dioxo-3-(thien-2-ylmethyl)-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid benzylamide,

— 2,4-dioxo-3-(thien-2-ylmethyl)-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid (benzo[1,3]dioxol-5-ylmethyl)amide,

— 1-methyl-2,4-dioxo-3-(thien-2-ylmethyl)-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid (benzo[1,3]dioxol-5-ylmethyl)amide,

— 3-(4-chlorobenzyl)-2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid (benzo[1,3]dioxol-5-ylmethyl)amide,

— 3-(4-chlorobenzyl)-1-methyl-2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid (benzo[1,3]dioxol-5-ylmethyl)amide,

— 1,3-dimethyl-2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid (benzo[1,3]dioxol-5-ylmethyl)amide,

— 3-(benzo[1,3]dioxol-5-ylmethyl)-2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid (benzo[1,3]dioxol-5-ylmethyl)amide,

— 3-(benzo[1,3]dioxol-5-ylmethyl)-1-methyl-2,4-dioxo-1,2,3,4-tetrahydroquinazoline-

carboxylic acid (benzo[1,3]dioxol 5-ylmethyl)amide,

~~— 3 Benzyl 1 ethyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid~~

(benzo[1,3]dioxol 5-ylmethyl)amide,

~~— 3 Benzyl 1 cyclopropylmethyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid (benzo[1,3]dioxol 5-ylmethyl)amide,~~

~~— 3 Benzyl 1 isobutyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid (benzo[1,3]dioxol 5-ylmethyl)amide,~~

~~— 1 Methyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid (benzo[1,3]dioxol 5-ylmethyl)amide,~~

~~— Methyl 4 [6 (4 methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H-quinazolin 3-ylmethyl] benzoate,~~

~~— 4 [6 (4 Methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H] quinazolin-3-ylmethyl] benzoic acid,~~

~~— 1 Methyl 2,4 dioxo 3-((E) 3 phenylallyl) 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid (benzo[1,3]dioxol 5-ylmethyl)amide,~~

~~— Benzyl 3 benzyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylate,~~

~~— Benzyl 3 benzyl 1 methyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylate,~~

~~— 4 Pyridylmethyl 3 benzyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylate,~~

~~— 4 Pyridylmethyl 3 benzyl 1 methyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylate,~~

~~— Benzo[1,3]dioxol 5-ylmethyl 3 benzyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylate,~~

~~— Benzo[1,3]dioxol 5-ylmethyl 3 benzyl 1 methyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylate,~~

~~— Benzyl 1 benzyl 2,4 dioxo 3 pyrid 4-ylmethyl 1,2,3,4 tetrahydroquinazoline 6 carboxylate,~~

~~— 4 Pyridylmethyl 2,4 dioxo 3 (thien 2-ylmethyl) 1,2,3,4 tetrahydroquinazoline 6 carboxylate,~~

~~— 4 Pyridylmethyl 3 (benzo[1,3]dioxol 5-ylmethyl) 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylate,~~

~~— Benzyl 3-benzyl 2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-d]pyrimidine-6-carboxylate~~
~~— 4-Pyridylmethyl 3-benzyl 2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-d]pyrimidine-6-carboxylate,~~
~~— 3-Benzyl 4-oxo-2-thioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid~~
~~(benzo[1,3]dioxol-5-ylmethyl)amide,~~
~~— 4-[6-(4-Hydroxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2H-quinazolin-3-ylmethyl]-benzoic acid,~~
~~— 3-(4-Dimethylcarbamoyl-benzyl)-1-methyl-2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid 4-methoxy-benzylamide,~~
~~— 1-Methyl-3-(4-methylcarbamoyl-benzyl)-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid 4-methoxy-benzylamide,~~
~~— 3-Allyl-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid 4-methoxy-benzylamide,~~
~~— 1-Methyl-2,4-dioxo-3-(2-pyrrol-1-yl-ethyl)-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid 4-methoxy-benzylamide,~~
~~— 1-Methyl-2,4-dioxo-3-prop-2-ynyl-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid 4-methoxy-benzylamide,~~
~~— 1-Methyl-3-(3-methyl-but-2-enyl)-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid 4-methoxy-benzylamide,~~
~~— 1-Methyl-2,4-dioxo-3-pyridin-2-ylmethyl-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid 4-methoxy-benzylamide,~~
~~— 3-Carbamoylmethyl-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid 4-methoxy-benzylamide,~~
~~— 1-Methyl-2,4-dioxo-3-pyridin-3-ylmethyl-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid 4-methoxy-benzylamide,~~

~~— 1 Methyl 3 (1 methyl piperidin 3 ylmethyl) 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid 4 methoxy benzylamide;~~

~~— 3 (4 Cyano benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid 4 methoxy benzylamide;~~

~~— 3 (3 Cyano benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid 4 methoxy benzylamide;~~

~~— 3 (2 Methoxy ethyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid 4 methoxy benzylamide;~~

~~— 3 (3 Methoxy benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid 4 methoxy benzylamide;~~

~~— 3 Cyclopropylmethyl 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid 4 methoxy benzylamide;~~

~~— 1 Methyl 3 (2 morpholin 4 yl ethyl) 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid 4 methoxy benzylamide;~~

~~— 3 Cyclohexylmethyl 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid 4 methoxy benzylamide;~~

~~— 1 Methyl 2,4 dioxo 3 (3 phenyl propyl) 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid 4 methoxy benzylamide;~~

~~— 3 (4 Fluoro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid 4 methoxy benzylamide;~~

~~— 3 [2 (4 Diethylamino phenyl) 2 oxo ethyl] 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid 4 methoxy benzylamide;~~

~~— Ethyl [6 (4 methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazolin 3 yl] acetate;~~

~~— 3 (2 Hydroxy ethyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid 4 methoxy benzylamide;~~

~~— Methyl 3 [6 (4 methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazolin 3 yl] propionate;~~

~~— 3 [6 (4 Methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazolin-3-yl] propionic acid;~~

~~— Ethyl 4 [6 (4 methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazolin-3-yl] butyrate;~~

~~— 4 [6 (4 Methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazolin-3-yl] butyric acid;~~

~~— Methyl {4 [6 (4 methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazolin-3-ylmethyl] phenyl} acetate;~~

~~— {4 [6 (4 Methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazolin-3-ylmethyl] phenyl} acetic acid;~~

~~— 3 (4 Dimethylcarbamoylmethyl benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline-6-carboxylic acid 4 methoxy benzylamide;~~

~~— 1 Methyl 2,4 dioxo 3 [(E) 3 (pyridin-3-yl) allyl] 1,2,3,4 tetrahydroquinazoline-6-carboxylic acid 4 methoxy benzylamide;~~

~~— 1 Methyl 2,4 dioxo 3 [(E) 3 (pyridin-4-yl) allyl] 1,2,3,4 tetrahydroquinazoline-6-carboxylic acid 4 methoxy benzylamide;~~

~~— 1 Methyl 2,4 dioxo 3 (4-sulfamoyl benzyl) 1,2,3,4 tetrahydroquinazoline-6-carboxylic acid 4 methoxy benzylamide;~~

~~— 3 (4 Methanesulfonyl benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline-6-carboxylic acid 4 methoxy benzylamide;~~

~~— 3 (4 Dimethylsulfamoyl benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline-6-carboxylic acid 4 methoxy benzylamide;~~

~~— 3 [4 (2 Dimethylamino ethylsulfamoyl) benzyl] 1 methyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline-6-carboxylic acid 4 methoxy benzylamide;~~

~~— 1 Methyl 3 (4-methylsulfamoyl benzyl) 2,4 dioxo 1,2,3,4 tetrahydroquinazoline-6-carboxylic acid 4 methoxy benzylamide;~~

~~— Methyl 3 [6 (4 Methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H~~

quinazolin-3-ylmethyl] benzoate;

~~—3 [6 (4 Methoxy benzylcarbamoyl) 1-methyl-2,4-dioxo-1,4-dihydro-2H-quinazolin-3-~~

~~ylmethyl] benzoic acid;~~

~~—(E) Methyl 4 [6 (4-methoxy benzylcarbamoyl) 1-methyl-2,4-dioxo-1,4-dihydro-2H-quinazolin-3-yl] but-2-enoate;~~

~~—4 [6 (4 Methoxy benzylcarbamoyl) 1-methyl-2,4-dioxo-1,4-dihydro-2H-quinazolin-3-~~

~~yl] but-2-enoic acid;~~

~~—Methyl 5 [6 (4-methoxy benzylcarbamoyl) 1-methyl-2,4-dioxo-1,4-dihydro-2H-quinazolin-3-ylmethyl] furan-2-carboxylate;~~

~~—5 [6 (4 Methoxy benzylcarbamoyl) 1-methyl-2,4-dioxo-1,4-dihydro-2H-quinazolin-3-~~

~~ylmethyl] furan-2-carboxylic acid;~~

~~—Methyl 5 [6 (4-methoxy benzylcarbamoyl) 1-methyl-2,4-dioxo-1,4-dihydro-2H-quinazolin-3-ylmethyl] thiophene-2-carboxylate;~~

~~—5 [6 (4 Methoxy benzylcarbamoyl) 1-methyl-2,4-dioxo-1,4-dihydro-2H-quinazolin-3-~~

~~ylmethyl] thiophene-2-carboxylic acid;~~

~~—1 Methyl-3 (4-nitro-benzyl)-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid-4-methoxy-benzylamide;~~

~~—3 (4-Amino-benzyl)-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid-4-methoxy-benzylamide;~~

~~—3 (4-Dimethylamino-benzyl)-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid-4-methoxy-benzylamide;~~

~~—3 (4-Acetyl-amino-benzyl)-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid-4-methoxy-benzylamide;~~

~~—3 [4 (N,N-methylsulfonylamino)-benzyl]-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid-4-methoxy-benzylamide;~~

~~—3-Benzofurazan-5-ylmethyl-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid-4-methoxy-benzylamide;~~

~~— 3 [2 (4-Fluorophenoxy) ethyl] 1-methyl 2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid 4-methoxy-benzylamide;~~

~~— 3 (2-Benzenesulfonyl-ethyl) 1-methyl 2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid 4-methoxy-benzylamide;~~

~~— 3 (3-fluoro-4-methoxy-benzyl) 1-methyl 2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid 4-methoxy-benzylamine;~~

~~— 1-Methyl 2,4-dioxo-3-[4-(2H-tetrazol-5-yl)-benzyl] 1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid 4-methoxy-benzylamide;~~

~~— 1-Methyl 3-[4-(5-methyl-1,2,4-oxadiazol-3-yl)-benzyl] 2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid 4-methoxy-benzylamide;~~

~~— 1-Methyl 3-[4-(3-methyl-1,2,4-oxadiazol-5-yl)-benzyl] 2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid 4-methoxy-benzylamide;~~

~~— Methyl ——— 2-chloro-4-[6-(4-methoxy-benzylcarbamoyl) 1-methyl 2,4-dioxo-1,4-dihydro-2H-quinazolin-3-ylmethyl] benzoate;~~

~~— 2-Chloro-4-[6-(4-methoxy-benzylcarbamoyl) 1-methyl 2,4-dioxo-1,4-dihydro-2H-quinazolin-3-ylmethyl] benzoic acid;~~

~~— 1-Methyl 3-[4-(1-methyl-1H-tetrazol-5-yl)-benzyl] 2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid 4-methoxy-benzylamide;~~

~~— 1-Methyl 3-[4-(2-methyl-2H-tetrazol-5-yl)-benzyl] 2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid 4-methoxy-benzylamide;~~

~~— Methyl 2-methoxy-4-[6-(4-methoxy-benzylcarbamoyl) 1-methyl 2,4-dioxo-1,4-dihydro-2H-quinazolin-3-ylmethyl] benzoate;~~

~~— 2-Methoxy-4-[6-(4-methoxy-benzylcarbamoyl) 1-methyl 2,4-dioxo-1,4-dihydro-2H-quinazolin-3-ylmethyl] benzoic acid;~~

~~— Methyl 2-hydroxy-4-[6-(4-methoxy-benzylcarbamoyl) 1-methyl 2,4-dioxo-1,4-dihydro-2H-quinazolin-3-ylmethyl] benzoate;~~

~~— 2-Hydroxy-4-[6-(4-methoxy-benzylcarbamoyl) 1-methyl 2,4-dioxo-1,4-dihydro-2H-quinazolin-3-ylmethyl] benzoic acid;~~

~~— Methyl ——— 2-methyl-4-[6-(4-methoxy-benzylcarbamoyl) 1-methyl 2,4-dioxo-1,4-dihydro-~~

~~2H-quinazolin-3-ylmethyl]-benzoate,~~
~~— 2-Methyl-4-[6-(4-methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2H-~~
~~quinazolin-3-ylmethyl]-benzoic acid,~~
~~— 1-Methyl-2,4-dioxo-3-(pyridin-4-methyl)-1,2,3,4-tetrahydro-quinazoline-carboxylic~~
~~acid (benzo[1,3]dioxol-5-ylmethyl)-amide,~~
~~— 1-Methyl-2,4-dioxo-3-(pyridin-4-ylmethyl)-1,2,3,4-tetrahydro-quinazoline-carboxylic~~
~~acid-4-methoxy-benzylamide,~~
~~— 1-Methyl-2,4-dioxo-3-(pyridin-4-ylmethyl)-1,2,3,4-tetrahydro-quinazoline-6-~~
~~carboxylic acid-4-hydroxy-benzylamide,~~
~~— Methyl-4-[6-(3-methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2H-~~
~~quinazolin-3-ylmethyl]-benzoate,~~
~~— 4-[6-(3-Methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2H-quinazolin-~~
~~3-~~
~~ylmethyl]-benzoic acid,~~
~~— Methyl—4-[1-methyl-6-(4-methylsulfanyl-benzylcarbamoyl)-2,4-dioxo-1,4-dihydro-~~
~~2H-~~
~~quinazolin-3-ylmethyl]-benzoate,~~
~~— 4-[1-Methyl-6-(4-methylsulfanyl-benzylcarbamoyl)-2,4-dioxo-1,4-dihydro-2H-~~
~~quinazolin-3-ylmethyl]-benzoic acid,~~
~~— Methyl—4-[1-ethyl-2,4-dioxo-6-(4-trifluoromethoxy-benzylcarbamoyl)-1,4-dihydro-~~
~~2H-~~
~~quinazolin-3-ylmethyl]-benzoate,~~
~~— Methyl-4-[6-(4-fluoro-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2H-~~
~~quinazolin-3-ylmethyl]-benzoate,~~
~~— 4-[6-(4-Fluoro-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2H-quinazolin-3-~~
~~ylmethyl]-benzoic acid,~~
~~— Methyl—4-[6-[(benzofurazan-5-ylmethyl)-carbamoyl]-1-methyl-2,4-dioxo-1,4-~~
~~dihydro-~~
~~2H-quinazolin-3-ylmethyl]-benzoate,~~
~~— 4-[6-[(Benzofurazan-5-ylmethyl)-carbamoyl]-1-methyl-2,4-dioxo-1,4-dihydro-2H-~~
~~quinazolin-3-ylmethyl]-benzoic acid,~~

~~— Methyl 4 [6 (4 methoxy benzylcarbamoyl) 2,4 dioxo 1,4 dihydro 2H quinazolin 3-ylmethyl] benzoate;~~
~~— Methyl 4 [1 ethyl 6 (4 methoxy benzylcarbamoyl) 2,4 dioxo 1,4 dihydro 2H quinazolin 3-ylmethyl] benzoate;~~
~~— 4 [1 Ethyl 6 (4 methoxy benzylcarbamoyl) 2,4 dioxo 1,4 dihydro 2H quinazolin 3-ylmethyl] benzoic acid;~~
~~— 3 (4 Methoxy benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6-carboxylic acid (pyridin 4 ylmethyl) amide;~~
~~— 3 (4 Hydroxy benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6-carboxylic acid (pyridin 4 ylmethyl) amide;~~
~~— 3 (4 Cyano benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6-carboxylic acid (pyridin 4 ylmethyl) amide;~~
~~— 1 Methyl 2,4 dioxo 3 (3 pyridin 4 yl allyl) 1,2,3,4 tetrahydro quinazoline 6-carboxylic acid (pyridin 4 ylmethyl) amide;~~
~~— Methyl 4 {1 methyl 2,4 dioxo 6 [(pyridin 4 ylmethyl) carbamoyl] 1,4 dihydro 2H quinazolin 3 ylmethyl} benzoate;~~
~~— 4 {1 Methyl 2,4 dioxo 6 [(pyridin 4 ylmethyl) carbamoyl] 1,4 dihydro 2H quinazolin 3 ylmethyl} benzoic acid;~~
~~— Methyl (4 {1 methyl 2,4 dioxo 6 [(pyridin 4 ylmethyl) carbamoyl] 1,4 dihydro 2H quinazolin 3 ylmethyl} phenyl) acetate;~~
~~— (4 {1 Methyl 2,4 dioxo 6 [(pyridin 4 ylmethyl) carbamoyl] 1,4 dihydro 2H quinazolin 3 ylmethyl} phenyl) acetic acid;~~
~~— Methyl ——— 4 {1 methyl 2,4 dioxo 6 [(1 oxy pyridin 4 ylmethyl)carbamoyl] 1,4-dihydro-2H quinazolin 3 ylmethyl} benzoate;~~
~~— 4 {1 Methyl 2,4 dioxo 6 [(1 oxy pyridin 4 ylmethyl) carbamoyl] 1,4 dihydro 2H quinazolin 3 ylmethyl} benzoic acid;~~
~~— Methyl [6 [(1,3 Benzodioxol 5 ylmethyl) carbamoyl] 3 benzyl 2,4 dioxo 1,4-dihydro-~~

~~2H-quinazolin-1-yl}-acetate,~~
~~—[6-[(1,3-Benzodioxol-5-ylmethyl)-carbamoyl]-3-benzyl-2,4-dioxo-3,4-dihydro-2H-~~
~~quinazolin-1-yl}-acetic acid,~~
~~—Methyl 4-[6-[(1,3-benzodioxol-5-ylmethyl)-carbamoyl]-1-methyl-2,4-dioxo-1,4-~~
~~dihydro-2H-quinazolin-3-ylmethyl]-benzoate,~~
~~—4-[6-[(1,3-Benzodioxol-5-ylmethyl)-carbamoyl]-1-methyl-2,4-dioxo-1,4-dihydro-2H-~~
~~quinazolin-3-ylmethyl]-benzoic acid,~~
~~—3-Benzyl-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid~~
~~4-sulfamoyl-benzylamide,~~
~~—3-Benzyl-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid~~
~~[3-(pyridin-4-ylsulfanyl)-propyl]-amide,~~
~~—3-Benzyl-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid~~
~~(4-morpholin-4-yl-butyl)-amide,~~
~~—3-Benzyl-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid~~
~~(1-benzyl-piperidin-4-yl)-amide,~~
~~—3-Benzyl-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid~~
~~4-hydroxy-benzylamine,~~
~~—Ethyl (4-[(3-benzyl-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carbonyl)-~~
~~amino]-methyl)-phenoxy)-acetate,~~
~~—(4-[(3-Benzyl-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-~~
~~carbonyl)amino]-~~
~~methyl)-phenoxy)-acetic acid,~~
~~—3-Benzyl-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid~~
~~4-dimethylcarbamoylmethoxy-benzylamide,~~
~~—3-Benzyl-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid~~
~~(3-phenyl-allyl)-amide,~~
~~—3-Benzyl-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid~~
~~4-cyano-benzylamide,~~
~~—4-[(3-Benzyl-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carbonyl)-~~
~~amino]-~~
~~methyl)-benzoic acid,~~

- ~~— 3-Benzyl-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid~~
~~4-dimethylcarbamoyl-benzylamide;~~
- ~~— 3-(4-Dimethylamino-benzyl)-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid~~
~~4-methoxy-benzylamide;~~
- ~~— 3-[4-(N-methylsulfonylamino)-benzyl]-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-~~
~~quinazoline-6-carboxylic acid-4-methoxy-benzylamide;~~
- ~~— tert-Butyl-[5-[6-(4-Methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2H-~~
~~quinazolin-3-ylmethyl]-pyridin-2-yl]-carbamate;~~
- ~~— 3-(6-Amino-pyridin-3-ylmethyl)-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-~~
~~6-~~
~~carboxylic acid-4-methoxy-benzylamide;~~
- ~~— 1,3-Dimethyl-2,4-dioxo-1,2,3,4-tetrahydro-pyrido[2,3-*d*]pyrimidine-6-carboxylic acid~~
~~(1,3-benzodioxol-5-ylmethyl)-amide;~~
- 1,3-Dimethyl-2,4-dioxo-1,2,3,4-tetrahydro-pyrido[3,4-*d*]pyrimidine-6-carboxylic acid
(1,3-benzodioxol-5-ylmethyl)-amide,
- ~~— 3-Benzyl-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-pyrido[2,3-*d*]~~~~pyrimidine-6-~~
~~carboxylic~~
~~acid (1,3-benzodioxol-5-ylmethyl)-amide;~~
- ~~— 4-[6-(4-Methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2H-pyrido[2,3-~~
~~*d*]~~
~~pyrimidin-3-ylmethyl]-benzoic acid;~~
- ~~— 3-(4-Cyano-benzyl)-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-pyrido[2,3-*d*]~~~~pyrimidine-~~
~~6-~~
~~carboxylic acid-4-methoxy-benzylamide;~~
- ~~— 3-(4-Fluoro-benzyl)-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-pyrido[2,3-*d*]pyrimidine-~~
~~6-~~
~~carboxylic acid-4-methoxy-benzylamide;~~
- 3-Benzyl-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-pyrido[3,4-*d*]pyrimidine-6-
carboxylic
acid (1,3-benzodioxol-5-ylmethyl)-amide,
- Methyl 4-[6-(4-Methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2H-

pyrido[3,4-*d*]pyrimidin-3-ylmethyl]-benzoate,

- 4-[6-(4-Methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2*H*-pyrido[3,4-*d*]

pyrimidin-3-ylmethyl]-benzoic acid,

- 4-[6-(3-Methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2*H*-pyrido[3,4-*d*]

pyrimidin-3-ylmethyl]-benzoic acid, and

- 3-(4-Cyano-benzyl)-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-pyrido[3,4-*d*]pyrimidine-6-

carboxylic acid 4-methoxy-benzylamide;

~~— 3-Benzyl-1-methyl-6-(3-phenyl-propionyl)-1*H*-quinazoline-2,4-dione;~~

~~— 3-Benzyl-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid~~

~~(*E*)-3-pyridin-4-yl-allyl ester;~~

~~— 3-Benzyl-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid~~

~~(*E*)-3-pyridin-3-yl-allyl ester;~~

~~— 3-Benzyl-1-methyl-6-[2-(pyridin-4-ylsulfanyl)-acetyl]-1*H*-quinazoline-2,4-dione;~~

~~— 3-(4-Aminomethyl-benzyl)-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid 4-methoxy-benzylamide;~~

~~— 3-(2'-Cyano-biphenyl-4-ylmethyl)-1-methyl-2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid 4-methoxy-benzylamide;~~

~~— 1-Methyl-2,4-dioxo-3-[2'-(1*H*-tetrazol-5-yl)-biphenyl-4-ylmethyl]-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid 4-methoxy-benzylamide;~~

~~— Methyl-4'-[6-(4-methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2*H*-quinazolin-3-ylmethyl]-biphenyl-2-carboxylate;~~

~~— 4'-[6-(4-Methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2*H*-quinazolin-3-~~

~~ylmethyl]-biphenyl-2-carboxylic acid;~~

~~— Ethyl-2-Fluoro-4-[6-(4-methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2*H*-quinazolin-3-ylmethyl]-benzoate;~~

~~— 2-Fluoro-4-[6-(4-methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2*H*-quinazolin-3-ylmethyl]-benzoic acid;~~

~~— 2 Methoxy 4 [6 (4 methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H-quinazolin 3-ylmethyl] benzoic acid 2-dimethylamino ethyl ester;~~

~~— 4 [6 (4 Methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H-quinazolin-3-ylmethyl] 2 methyl benzoic acid 2 dimethylamino ethyl ester;~~

~~— 1 Methyl 2,4 dioxo 3 [4 (5-oxo 4,5 dihydro 1,2,4 oxadiazol 3-yl) benzyl] 1,2,3,4-tetrahydro-quinazoline 6-carboxylic acid 4-methoxy benzylamide;~~

~~— [4 [6 (4 Methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H-quinazolin-3-yl] phenyl] acetic acid;~~

~~— 1 Methyl 3 (1 naphthalen 1-yl ethyl) 2,4 dioxo 1,2,3,4 tetrahydro-quinazoline 6-carboxylic acid (1,3-benzodioxol 5-ylmethyl) amide;~~

~~— 3 (3 Fluoro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro-quinazoline 6-carboxylic acid (pyridin 4-ylmethyl) amide;~~

~~— 3 (3 Fluoro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro-quinazoline 6-carboxylic acid (2-methoxy pyridin 4-ylmethyl) amide;~~

~~— 3 (3 Fluoro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro-quinazoline 6-carboxylic acid (pyridin 3-ylmethyl) amide;~~

~~— 3 (3 Fluoro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro-quinazoline 6-carboxylic acid 4-methoxy benzylamide;~~

~~— 3 (3 Fluoro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro-quinazoline 6-carboxylic acid 3-methoxy benzylamide;~~

~~— 1 Ethyl 3 (3 fluoro benzyl) 2,4 dioxo 1,2,3,4 tetrahydro-quinazoline 6-carboxylic acid (pyridin 4-ylmethyl) amide;~~

~~— 1 Ethyl 3 (3 fluoro benzyl) 2,4 dioxo 1,2,3,4 tetrahydro-quinazoline 6-carboxylic acid (pyridin 3-ylmethyl) amide;~~

~~— 3 (4 Bromo benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro-quinazoline 6-carboxylic acid 4-methoxy benzylamide;~~

~~— 3 (4 Bromo benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro-quinazoline 6-carboxylic acid (2-methoxy pyridin 4-ylmethyl) amide;~~

~~— 3 (3,4 Difluoro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro-quinazoline 6-carboxylic acid (pyridin 3-ylmethyl) amide;~~

~~— 3 (3,4 Difluoro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6-carboxylic acid (pyridin 4 ylmethyl) amide;~~

~~— 3 (3,4 Difluoro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6-carboxylic acid 4 methoxy benzylamide;~~

~~— 3 (3 chloro 4 fluoro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6-carboxylic acid (pyridin 4 ylmethyl) amide;~~

~~— 3 (3 Chloro 4 fluoro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6-carboxylic acid 4 methoxy benzylamide;~~

~~— 4 [6 (4 Methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazolin-3-ylmethyl] benzoate(2 hydroxy ethyl) trimethyl ammonium;~~

~~— 4 [6 (4 Methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazolin-3-ylmethyl] benzoic acid hemicalcium;~~

~~— 4 [6 (4 Methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazolin-3-ylmethyl] benzoic acid hemimagnesium;~~

~~— 3 (4 Chloro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid (pyridin 4 ylmethyl) amide;~~

~~— 3 (4 Fluoro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid (pyridin 4 ylmethyl) amide;~~

~~— 3 (4 Fluoro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid (pyridin 3 ylmethyl) amide;~~

~~— 3 (4 Chloro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid (pyridin 3 ylmethyl) amide;~~

~~— 3 (4 Fluoro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid 3-methoxy benzylamide;~~

~~— 3 (4 Chloro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid 3-methoxy benzylamide;~~

~~— 3 (4 Fluoro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid (2-methoxy pyridin 4 ylmethyl) amide;~~

~~— 3 (4 Chloro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid (2 methoxy pyridin 4 ylmethyl) amide,~~
~~— tert Butyl — 1 { 4 [6 (4 methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H~~
~~quinazolin 3 ylmethyl] phenyl} cyclopropanecarboxylate,~~
~~— 1 { 4 [6 (4 Methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H~~
~~quinazolin 3 ylmethyl] phenyl} cyclopropanecarboxylic acid,~~
~~— 3 Benzyl 6 benzylsulfanyl 1 methyl 1H quinazoline 2,4 dione,~~
~~— 3 Benzyl 1 methyl 6 phenylmethanesulfinyl 1H quinazoline 2,4 dione,~~
~~— 3 Benzyl 1 methyl 6 phenylmethanesulfonyl 1H quinazoline 2,4 dione,~~
~~— 4 [6 (4 methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazoline~~
~~3-~~
~~ylmethyl] benzoic acid tert butoxycarbonylmethyl ester,~~
~~— 4 [6 (4 methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazoline~~
~~3-~~
~~ylmethyl] benzoic acid dimethylamino dimethyl propyl ester,~~
~~— 4 [6 (4 methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazoline~~
~~3-~~
~~ylmethyl] benzoic acid dimethylamino methyl propyl ester,~~
~~— 4 [6 (4 methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazoline~~
~~3-~~
~~ylmethyl] benzoic acid 2 dimethylamino ethyl ester,~~
~~— 4 [6 (4 methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazoline~~
~~3-~~
~~ylmethyl] benzoic acid chloromethyl ester,~~
~~— 4 [6 (4 methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazoline~~
~~3-~~
~~ylmethyl] — benzoic acid 2 tert butoxycarbonylamino 3 methyl 1 butanoyloxymethyl~~
~~ester,~~
~~— 4 [6 (4 methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazoline~~
~~3-~~

~~ylmethyl]-benzoic acid 2-amino-3-methyl-butanoyloxymethyl ester hydrochloride,
 —4 [6-(4-methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2H-quinazoline-3-
 ylmethyl]-benzoic acid 2-(2-tert-butoxycarbonylamino-3-methyl-butanoylamino)-3-methyl-butanoyloxymethyl ester,
 —and 4 [6-(4-methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2H-quinazoline-3-ylmethyl]-benzoic acid 2-(2-amino-3-methyl-butanoylamino)-3-methyl-butanoyloxymethyl ester.~~

Claim 16 (currently amended). A compound of formula (I) according to Claim 1 which is:

- 4-[6-(4-Methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2H-pyrido[3,4-*d*]pyrimidin-3-ylmethyl]-benzoic acid,
- 3-Benzyl-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-pyrido[3,4-*d*]pyrimidine-6-carboxylic acid (1,3-benzodioxol-5-ylmethyl)-amide,
- ~~—4 [6-(4-Fluoro-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2H-quinazolin-3-ylmethyl]-benzoic acid,~~
- ~~—1-Methyl-2,4-dioxo-3-[4-(5-oxo-4,5-dihydro-1,2,4-oxadiazol-3-yl)-benzyl]-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid 4-methoxy-benzylamide,~~
- 4 [6-(4-Methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2H-quinazolin-3-ylmethyl]-benzoic acid-hemicalcium salt,
- Methyl 4-[6-(4-Methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2H-pyrido[3,4-*d*]pyrimidin-3-ylmethyl]-benzoate,
- ~~—4 [6-(3-Methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2H-quinazolin-3-ylmethyl]-benzoic acid,~~
- ~~—1-Methyl-2,4-dioxo-3-[4-(2H-tetrazol-5-yl)-benzyl]-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid 4-methoxy-benzylamide,~~
- ~~—Methyl—2-hydroxy-4 [6-(4-methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2H-quinazolin-3-ylmethyl]-benzoate,~~
- ~~—3-(4-Chloro-benzyl)-1-methyl-2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid 3-methoxy-benzylamide,~~

~~— 4 {6 [(1,3-Benzodioxol-5-ylmethyl)-carbamoyl]-1-methyl-2,4-dioxo-1,4-dihydro-2H-quinazolin-3-ylmethyl}-benzoic acid,~~
~~— 2-Hydroxy-4 {6 (4-methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2H-quinazolin-3-ylmethyl}-benzoic acid,~~
~~— Methyl-4 {6 (3-methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2H-quinazolin-3-ylmethyl}-benzoate,~~
~~— 3-(3-Fluoro-benzyl)-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid-3-methoxy-benzylamide,~~
~~— 4-Pyridylmethyl-3-benzyl-2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylate,~~
~~— Methyl-4 {6 [(1,3-benzodioxol-5-ylmethyl)-carbamoyl]-1-methyl-2,4-dioxo-1,4-dihydro-2H-quinazolin-3-ylmethyl}-benzoate,~~
~~— 1-Methyl-3 {4 (5-methyl-1,2,4-oxadiazol-3-yl)-benzyl}-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid-4-methoxy-benzylamide,~~
~~— 1-Methyl-3 {4 (3-methyl-1,2,4-oxadiazol-5-yl)-benzyl}-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid-4-methoxy-benzylamide,~~
~~— 3-(3-Fluoro-benzyl)-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid (2-methoxy-pyridin-4-ylmethyl)-amide,~~
~~— 4 {6 (4-Methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2H-quinazolin-3-ylmethyl}-benzoic acid,~~
~~— 1 {4 {6 (4-Methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2H-quinazolin-3-ylmethyl}-phenyl}-cyclopropanecarboxylic acid,~~
~~— 4-Pyridylmethyl-3-benzyl-1-methyl-2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylate,~~
~~— 3-(4-Fluoro-benzyl)-1-methyl-2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid-3-methoxy-benzylamide,~~
~~— 3-(3,4-Difluoro-benzyl)-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid-4-methoxy-benzylamide,~~
~~— 3-(4-Dimethylcarbamoyl-benzyl)-1-methyl-2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid-4-methoxy-benzylamide,~~

~~— 1 Methyl 3 [4 (2-methyl 2*H*-tetrazol-5-yl) benzyl] 2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid 4-methoxy-benzylamide,~~

~~— 3 (4-Bromo-benzyl) 1-methyl 2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid (2-methoxy-pyridin-4-ylmethyl)-amide,~~

~~— 3 (3,4-Difluoro-benzyl) 1-methyl 2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid (pyridin-3-ylmethyl)-amide,~~

~~— Benzo[1,3]dioxol-5-ylmethyl 3-benzyl 1-methyl 2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylate,~~

~~— 3-Benzyl 1-methyl 2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid (benzo[1,3]dioxol-5-ylmethyl)amide,~~

~~— 1 Methyl 3 (4-methylcarbamoyl benzyl) 2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid 4-methoxy-benzylamide,~~

~~— 3 (3-Fluoro-benzyl) 1-methyl 2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid 4-methoxy-benzylamide,~~

~~— 4 [6 (4-Hydroxy-benzylcarbamoyl) 1-methyl 2,4-dioxo-1,4-dihydro-2*H*-quinazolin-3-ylmethyl] benzoic acid,~~

~~— Methyl 4 [6 (4-fluoro-benzylcarbamoyl) 1-methyl 2,4-dioxo-1,4-dihydro-2*H*-quinazolin-3-ylmethyl] benzoate,~~

~~— 3 (4-Chlorobenzyl) 2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid (benzo[1,3]dioxol-5-ylmethyl)amide,~~

~~— 1 Methyl 3 [4 (1-methyl 1*H*-tetrazol-5-yl) benzyl] 2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid 4-methoxy-benzylamide,~~

~~— 3 (4-Methoxybenzyl) 1-methyl 2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid 4-methoxybenzylamide,~~

~~— 4-Pyridylmethyl ——— 3 (benzo[1,3]dioxol-5-ylmethyl) 2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylate,~~

~~— Methyl 4 [6 (4-methoxy-benzylcarbamoyl) 1-methyl 2,4-dioxo-1,4-dihydro-2*H*-quinazolin-3-ylmethyl] benzoate,~~

~~— 1 Methyl 2,4-dioxo-3-pyridin-4-ylmethyl 1,2,3,4-tetrahydro-quinazoline-carboxylic acid 4-methoxy-benzylamide,~~


- ~~— 3 (4 Amino benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6-carboxylic acid 4 methoxy benzylamide,~~
- ~~— 1 Methyl 3 (4 nitro benzyl) 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6-carboxylic acid 4 methoxy benzylamide,~~
- ~~— 2 Methoxy 4 [6 (4 methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazolin 3 ylmethyl] benzoic acid,~~
- ~~— 1 Methyl 3 (4 methylsulfamoyl benzyl) 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6-carboxylic acid 4 methoxy benzylamide,~~
- ~~— 1 Methyl 2,4 dioxo 3 (4 sulfamoyl benzyl) 1,2,3,4 tetrahydro quinazoline 6-carboxylic acid 4 methoxy benzylamide,~~
- ~~— 3 (4 Fluoro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6-carboxylic acid 4 methoxy benzylamide,~~
- ~~— 3 (4 Fluoro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6-carboxylic acid (pyridin 4 ylmethyl) amide,~~
- ~~— 3 (4 Methoxy benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6-carboxylic acid (pyridin 4 ylmethyl) amide,~~
- ~~— 2 Methyl 4 [6 (4 methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazolin 3 ylmethyl] benzoic acid,~~
- ~~— 3 (4 Cyano benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6-carboxylic acid 4 methoxy benzylamide,~~
- ~~— 4 [1 Methyl 2,4 dioxo 6 [(pyridin 4 ylmethyl) carbamoyl] 1,4 dihydro 2H quinazolin 3 ylmethyl] benzoic acid,~~
- ~~— 3 (3 fluoro 4 methoxy benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6-carboxylic acid 4 methoxy benzylamine,~~
- ~~— 4 [1 Ethyl 6 (4 methoxy benzylcarbamoyl) 2,4 dioxo 1,4 dihydro 2H quinazolin 3 ylmethyl] benzoic acid,~~
- ~~— 3 (Benzo[1,3]dioxol 5 ylmethyl) 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6-carboxylic acid (benzo[1,3]dioxol 5 ylmethyl)amide,~~
- ~~— 3 (2' Cyano biphenyl 4 ylmethyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6-carboxylic acid 4 methoxy benzylamide,~~

~~— 4 [1 Methyl 6 (4 methylsulfanyl benzylcarbamoyl) 2,4 dioxo 1,4 dihydro 2H quinazolin 3 ylmethyl] benzoic acid,~~
~~— 4 [6 [(Benzofurazan 5 ylmethyl) carbamoyl] 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazolin 3 ylmethyl] benzoic acid,~~
~~— Methyl 2 methyl 4 [6 (4 methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazolin 3 ylmethyl] benzoate,~~
~~— 3 (4 Acetylamino benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid 4 methoxy benzylamide,~~
~~— 3 (Benzo[1,3]dioxol 5 ylmethyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid (benzo[1,3]dioxol 5 ylmethyl)amide,~~
~~— 3 (4 Dimethylcarbamoylmethyl benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid 4 methoxy benzylamide,~~
~~— Benzo[1,3]dioxol 5 ylmethyl 3 benzyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylate,~~
~~— { 4 [6 (4 Methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazolin 3 ylmethyl] phenyl} acetic acid,~~
~~— (4 { 1 Methyl 2,4 dioxo 6 [(pyridin 4 ylmethyl) carbamoyl] 1,4 dihydro 2H quinazolin 3 ylmethyl} phenyl) acetic acid,~~
~~— 3 Benzyl 2,4 dioxo 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid 4 methoxybenzylamide,~~
~~— Methyl { 4 [6 (4 methoxy benzylcarbamoyl) 1 methyl 2,4 dioxo 1,4 dihydro 2H quinazolin 3 ylmethyl] phenyl} acetate,~~
~~— 3 (3 Fluoro benzyl) 1 methyl 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid (pyridin 4 ylmethyl) amide,~~
~~— 2,4 Dioxo 3 (thien 2 ylmethyl) 1,2,3,4 tetrahydroquinazoline 6 carboxylic acid (benzo[1,3]dioxol 5 ylmethyl)amide,~~
~~— 1 Methyl 3 (4 methylsulfamoyl benzyl) 2,4 dioxo 1,2,3,4 tetrahydro quinazoline 6 carboxylic acid 4 methoxy benzylamide,~~
~~— Methyl 4 { 1 methyl 2,4 dioxo 6 [(pyridin 4 ylmethyl) carbamoyl] 1,4 dihydro 2H quinazolin 3 ylmethyl} benzoate,~~


- ~~2-Fluoro-4-[6-(4-methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2H-quinazolin-3-ylmethyl]-benzoic acid;~~
- ~~3-(4-Cyano-benzyl)-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-pyrido[3,4-d]pyrimidine-6-carboxylic acid 4-methoxy-benzylamide, and~~
- ~~4-[6-(3-Methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2H-pyrido[3,4-d]pyrimidin-3-ylmethyl]-benzoic acid,~~
- ~~4-[6-(4-Methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2H-quinazolin-3-ylmethyl]-benzoic acid hemimagnesium salt;~~
- ~~4-[6-(4-Methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2H-pyrido[2,3-d]pyrimidin-3-ylmethyl]-benzoic acid;~~
- ~~3-[4-(N-methylsulfonylamino)-benzyl]-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid 4-methoxy-benzylamide;~~
- ~~Ethyl-2-Fluoro-4-[6-(4-methoxy-benzylcarbamoyl)-1-methyl-2,4-dioxo-1,4-dihydro-2H-quinazolin-3-ylmethyl]-benzoate;~~
- ~~3-(4-Dimethylsulfamoyl-benzyl)-1-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazoline-6-carboxylic acid 4-methoxy-benzylamide;~~
- ~~and 3-(4-Methoxybenzyl)-1-methyl-2,4-dioxo-1,2,3,4-tetrahydroquinazoline-6-carboxylic acid (benzo[1,3]dioxol-5-ylmethyl)amide.~~

Claims 17 to 27 (canceled).


Claim 28 (currently amended). A process for manufacturing a compound of ~~genral formula~~ general formula (I) in which X₁ and X₃ are CH, X₂ is N, Z is -NR₇ in which R₇ is as defined in the compound of formual (I), W is O, and Y is O, characterized in that the said process comprises a step in which a compound of general (XXXII):




is reacted in a first step with selenium dioxide in the presence of acetic acid, in a second step with dimethylhydrazine, and in a third step with N,N'-dimethylformamide dimethylacetal under reflux of DMF, to give a compound of formula (XXXIII):




followed by reacting ~~th~~ the compound of formula (XXXIII) ~~with~~ with methyl acrylate in the presence of palladium diacetate, to give the compound of general formula (XXXIV):



followed by reacting the compound of formula (XXXIV) with chlorobenzene and acetic acid to give the compound of formula (XXXV):




followed by reacting the compound of formula (XXXV) in the presence of a base to give the compound of general formula (XXXVI):




the said compound of formula (XXXVI) :

- either is reacted, in the presence of an acid activator such as TOTU, with the compound of formula (VII):




in which R_7 is selected from hydrogen, (C_1-C_6) alkyl, aryl (C_1-C_6) alkyl, cycloalkyl, aryl and heteroaryl, and A, R_2 , Z_1 , m and n are as defined in the summary of the invention, to give the compound of general formula (XXXVII):




in which A, R_2 , R_7 , Z_1 , m and n are as defined hereinbefore, and X_1 and X_3 represents each -CH group,

- or is reacted in a first step with $AlCl_3$ in the presence of benzene, and in a second step in the presence of an acid activator such as TOTU, with the compound of formula (VII):




in which R_7 is selected from hydrogen, (C_1-C_6) alkyl, aryl (C_1-C_6) alkyl, cycloalkyl, aryl and heteroaryl, and A, R_2 , Z_1 , m and n are as defined in the summary of the invention, to give the compound of general formula (XXXVIII):



in which A, R_2 , R_7 , Z_1 , m and n are as defined hereinbefore, and X_1 and X_3 represents each -CH group,

followed by reacting the compound of formula (XXXVIII) with a compound of formula R_3-X in which R_3 is as defined in the compound of general formula (I), in the presence of a base, to give the compound of formula (XXXIX):



Claim 29 (currently amended). ~~Pharmaceutical~~ A pharmaceutical composition comprising a compound according to any one of ~~Claims 1 to 15~~ Claims 1, 3, 4, 8, 9, 11-15 and a pharmaceutically acceptable excipient.

Claims 30 and 36 (canceled).

Claim 37 (currently amended). A method for treating ~~according to Claim 35~~ characterized in that the disease is arthritis a disease or complaint involving a therapy by inhibition of MMP-13 characterized in that the disease or the complaint is arthritis, the method comprising the administration of an effective amount of a compound according to any one of Claims 1, 3, 4, 8, 9, 11-16 to a patient having arthritis.

Claim 38 (currently amended). A method for treating according to ~~Claim 35~~ Claim 37, characterized in that the disease is osteoarthritis.

Claim 39 (currently amended). A method for treating according to ~~Claim 40~~ Claim 37, characterized in that the disease is rheumatoid arthritis.